Integrative Structure Validation Report March 27, 2025 - 10:11 AM PDT

The following software was used in the production of this report:

Integrative Modeling Validation Version 2.0 Python-IHM Version 1.8 MolProbity Version 4.5.2

PDB ID	9A3K				
PDB-Dev ID	PDBDEV_00000205				
Structure Title	Parathyroid hormone receptor type 1 in complex with a long-acting parathyroid hormone analog and arrestin 2 (5w0p-based template)				
Structure Authors	Aydin, Y.; Bottke, T.; Lam, J.H.; Ernicke, S.; Fortmann, A.; Tretbar, M.; Zarzycka, B.; Gurevich, V.V.; Katritch, V.; Coin, I.				
Deposited on	2023-03-24				

This is a PDB-IHM IM Structure Validation Report for a publicly released PDB-IHM entry.

We welcome your comments at helpdesk@pdb-ihm.org

A user guide is available at https://pdb-ihm.org/validation_help.html with specific help available everywhere you see the ? symbol.


List of references used to build this report is available here.

Overall quality

This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis

2 of 12



Ensemble information ()

This entry consists of 0 distinct ensemble(s).



This entry consists of 1 model(s). A total of 6 datasets were used to build this entry.

Representation ()

This entry has 1 representation(s).

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]		Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
1	1	1	Arrestin2	А	357	-	1-357	100.00 / 100.00	Atomic
		2	Long-acting parathyroid hormone analog	В	32	-	1-32	100.00 / 100.00	Atomic
		3	PTH1R	C [P]	504	-	1-504	100.00 / 100.00	Atomic

Datasets used for modeling ()

There are 6 unique datasets used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Crosslinking-MS data	Not available	Not available
2	Experimental model	PDB	6NBF
3	Experimental model	PDB	5W0P
4	Comparative model	Not available	Not available
5	Comparative model	Not available	Not available
6	De Novo model	Not available	Not available

Methodology and software

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name		Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	None	None	None	None	False	False

There is 1 software package reported in this entry.


ID	Software name	Software version	Software classification	Software location
1	ICM-Pro	v.3.9.2c	Model building	https://www.molsoft.com/icm_pro.html

Data quality ?

Crosslinking-MS

At the moment, data validation is only available for crosslinking-MS data deposited as a fully compliant dataset in the PRIDE Crosslinking database. Correspondence between crosslinking-MS and entry entities is established using pyHMMER. Only residue pairs that passed the reported threshold are used for the analysis. The values in the report have to be interpreted in the context of the experiment (i.e. only a minor fraction of in-situ or in-vivo dataset can be used for modeling).

Crosslinking-MS dataset is not available in the PRIDE Crosslinking database.



For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

Standard geometry: bond outliers ()

There are 63 bond length outliers in this entry (0.86% of 7323 assessed bonds). A summary is provided below.

Chain	Res	Туре	Atoms	Z	Observed (Å)	ldeal (Å)	Model ID (Worst)	Models (Total)
С	477	TPO	OG1-P	9.77	1.52	1.72	1	1
С	463	SEP	O3P-P	4.82	1.51	1.61	1	1
С	467	SEP	O3P-P	4.82	1.51	1.61	1	1
С	493	SEP	O1P-P	4.82	1.51	1.61	1	1
С	478	SEP	O2P-P	4.81	1.51	1.61	1	1
С	478	SEP	O1P-P	4.81	1.51	1.61	1	1
С	493	SEP	O2P-P	4.80	1.51	1.61	1	1
С	467	SEP	O2P-P	4.80	1.51	1.61	1	1
С	463	SEP	O2P-P	4.80	1.51	1.61	1	1
С	493	SEP	O3P-P	4.79	1.51	1.61	1	1
С	467	SEP	O1P-P	4.78	1.51	1.61	1	1
С	478	SEP	O3P-P	4.78	1.51	1.61	1	1
С	463	SEP	O1P-P	4.75	1.51	1.61	1	1
С	493	SEP	OG-P	4.40	1.52	1.61	1	1
С	463	SEP	OG-P	4.39	1.52	1.61	1	1
С	478	SEP	OG-P	4.39	1.52	1.61	1	1
С	467	SEP	OG-P	4.36	1.52	1.61	1	1
С	117	HIS	CE1-NE2	4.36	1.36	1.32	1	1
С	190	HIS	CE1-NE2	4.36	1.36	1.32	1	1
А	111	HIS	CE1-NE2	4.36	1.36	1.32	1	1
В	25	HIS	CE1-NE2	4.36	1.36	1.32	1	1
С	88	HIS	CE1-NE2	4.36	1.36	1.32	1	1
А	30	HIS	CE1-NE2	4.35	1.36	1.32	1	1
С	197	HIS	CE1-NE2	4.35	1.36	1.32	1	1
А	159	HIS	CE1-NE2	4.34	1.36	1.32	1	1
В	9	HIS	CE1-NE2	4.33	1.36	1.32	1	1
С	476	HIS	CD2-NE2	4.33	1.33	1.37	1	1
А	111	HIS	CD2-NE2	4.33	1.33	1.37	1	1
В	25	HIS	CD2-NE2	4.32	1.33	1.37	1	1
А	198	HIS	CE1-NE2	4.32	1.36	1.32	1	1

5 of 12

Chain	Res	Туре	Atoms	Z	Observed (Å)	ldeal (Å)	Model ID (Worst)	Models (Total)
С	134	HIS	CE1-NE2	4.32	1.36	1.32	1	1
С	114	HIS	CE1-NE2	4.32	1.36	1.32	1	1
А	219	HIS	CE1-NE2	4.31	1.36	1.32	1	1
А	159	HIS	CD2-NE2	4.31	1.33	1.37	1	1
С	114	HIS	CD2-NE2	4.31	1.33	1.37	1	1
А	353	HIS	CD2-NE2	4.31	1.33	1.37	1	1
С	16	HIS	CE1-NE2	4.30	1.36	1.32	1	1
С	88	HIS	CD2-NE2	4.30	1.33	1.37	1	1
С	197	HIS	CD2-NE2	4.30	1.33	1.37	1	1
С	394	HIS	CE1-NE2	4.30	1.36	1.32	1	1
С	134	HIS	CD2-NE2	4.29	1.33	1.37	1	1
С	476	HIS	CE1-NE2	4.29	1.36	1.32	1	1
С	190	HIS	CD2-NE2	4.29	1.33	1.37	1	1
С	16	HIS	CD2-NE2	4.28	1.33	1.37	1	1
А	353	HIS	CE1-NE2	4.28	1.36	1.32	1	1
А	210	HIS	CE1-NE2	4.26	1.36	1.32	1	1
А	295	HIS	CE1-NE2	4.26	1.36	1.32	1	1
А	198	HIS	CD2-NE2	4.26	1.33	1.37	1	1
А	219	HIS	CD2-NE2	4.26	1.33	1.37	1	1
С	281	HIS	CE1-NE2	4.26	1.36	1.32	1	1
С	416	HIS	CE1-NE2	4.26	1.36	1.32	1	1
А	210	HIS	CD2-NE2	4.26	1.33	1.37	1	1
С	199	HIS	CD2-NE2	4.25	1.33	1.37	1	1
С	117	HIS	CD2-NE2	4.25	1.33	1.37	1	1
В	32	HIS	CD2-NE2	4.25	1.33	1.37	1	1
А	295	HIS	CD2-NE2	4.24	1.33	1.37	1	1
В	32	HIS	CE1-NE2	4.24	1.36	1.32	1	1
А	30	HIS	CD2-NE2	4.24	1.33	1.37	1	1
С	199	HIS	CE1-NE2	4.23	1.36	1.32	1	1
С	281	HIS	CD2-NE2	4.22	1.33	1.37	1	1
С	416	HIS	CD2-NE2	4.22	1.33	1.37	1	1
С	394	HIS	CD2-NE2	4.22	1.33	1.37	1	1
В	9	HIS	CD2-NE2	4.21	1.33	1.37	1	1

Standard geometry: angle outliers ()

There are no bond angle outliers.

Too-close contacts ?

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all atomic models in this entry.

Model ID	Clash score	Number of clashes
1	2.52	36

There are 36 clashes. The table below contains the detailed list of all clashes based on a MolProbity analysis. Bad clashes are >= 0.4 Angstrom.

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
A:150:CYS:O	A:151:ALA:CB	0.73	1	1
A:149:PHE:CD1	A:149:PHE:N	0.61	1	1
A:89:PRO:0	A:90:ALA:HB3	0.60	1	1
C:62:TYR:N	C:63:PRO:HD2	0.59	1	1
C:165:TYR:C	C:165:TYR:CD1	0.59	1	1
A:197:LEU:C	A:197:LEU:HD23	0.58	1	1
C:71:ALA:N	C:72:PRO:CD	0.57	1	1
A:150:CYS:O	A:151:ALA:HB2	0.56	1	1
C:165:TYR:CD1	C:166:THR:N	0.54	1	1
C:339:VAL:N	C:340:PRO:CD	0.53	1	1
C:305:LEU:N	C:306:PRO:CD	0.53	1	1
C:459:ARG:O	C:460:LYS:C	0.52	1	1
A:90:ALA:HB1	A:91:PRO:HD2	0.51	1	1
C:369:GLY:O	C:370:ARG:CB	0.49	1	1
A:150:CYS:O	A:151:ALA:HB3	0.49	1	1
C:366:THR:O	C:367:ASN:C	0.49	1	1
A:95:LYS:N	A:96:PRO:HD2	0.48	1	1
C:62:TYR:N	C:63:PRO:CD	0.47	1	1
A:298:THR:OG1	A:299:ASN:N	0.47	1	1
A:314:ILE:N	A:314:ILE:HD12	0.46	1	1
A:328:VAL:O	A:329:VAL:HG23	0.46	1	1
A:89:PRO:O	A:90:ALA:CB	0.46	1	1
C:62:TYR:HB3	C:63:PRO:HD3	0.45	1	1
C:478:SEP:OG	C:479:VAL:N	0.45	1	1
C:467:SEP:O2P	C:469:SER:N	0.44	1	1
C:321:ALA:O	C:322:ASN:C	0.44	1	1
A:148:ALA:C	A:149:PHE:CG	0.43	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
C:123:ASP:C	C:123:ASP:OD1	0.43	1	1
A:87:PHE:HA	A:88:PRO:C	0.42	1	1
C:1:ASP:C	C:1:ASP:OD1	0.42	1	1
C:388:MET:N	C:389:PRO:CD	0.42	1	1
A:197:LEU:O	A:197:LEU:HD23	0.41	1	1
C:370:ARG:O	C:371:CYS:C	0.41	1	1
C:47:SER:O	C:48:THR:C	0.41	1	1
C:490:LEU:HA	C:491:PRO:C	0.40	1	1
C:85:GLU:OE2	C:120:ARG:NH1	0.40	1	1

Torsion angles: Protein backbone ()

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	874	811	48	15

There are 15 unique backbone outliers. Detailed list of outliers are tabulated below.

Chain	Res	Туре	Models (Total)
A	89	PRO	1
A	90	ALA	1
A	149	PHE	1
A	151	ALA	1
A	152	GLU	1
A	329	VAL	1
A	335	LEU	1
С	149	THR	1
С	322	ASN	1
С	331	GLY	1
С	370	ARG	1
С	392	GLY	1
С	459	ARG	1
С	470	TYR	1
С	485	ARG	1

Torsion angles : Protein sidechains ()

In the following table, sidechain rotameric outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers	
1	766	725	27	14	

Chain	Res	Туре	Models (Total)
А	18	LEU	1
А	56	THR	1
А	75	PHE	1
А	100	LEU	1
А	102	GLU	1
А	138	LYS	1
А	149	PHE	1
А	159	HIS	1
А	215	SER	1
А	329	VAL	1
С	371	CYS	1
С	462	ARG	1
С	480	THR	1
С	503	ASN	1

Fit of model to data used for modeling () Fit of model(s) to crosslinking-MS data

Restraint types

Restraint types are summarized in the table below. Restraints assigned "by-residue" are interpreted as between CA atoms. Restraints between coarse-grained beads are indicated as "coarse-grained". Restraint group represents a set of crosslinking restraints applied collectively in the modeling.

There are 136 crosslinking restraints combined in 136 restraint groups.


Linker	Residue 1	Atom 1	Residue 2	Atom 2 Restraint type		Distance, Å	Count
BrEtY	ALA	СВ	TYR	СВ	upper bound	10.2	1
BrEtY	ALA	СВ	ASP	CB upper bound		10.2	1
BrEtY	ALA	СВ	LYS	СВ	upper bound	10.2	3
BrEtY	ALA	СВ	LEU	СВ	upper bound	10.2	1
BrEtY	ALA	СВ	VAL	CB upper bound		10.2	1
BrEtY	ALA	СВ	HIS	СВ	upper bound	10.2	1

Linker	Residue 1	Atom 1	Residue 2	Atom 2	Restraint type	Distance, Å	Count
BrEtY	ALA	СВ	ASN	СВ	upper bound	10.2	1
BrEtY	CYS	СВ	THR	СВ	upper bound	upper bound 10.2	
BrEtY	ASP	СВ	CYS	СВ	upper bound	10.2	2
BrEtY	CYS	СВ	PHE	СВ	upper bound	10.2	1
BrEtY	CYS	СВ	LYS	СВ	upper bound	10.2	1
BrEtY	ASP	СВ	ASP	СВ	upper bound	10.2	1
BrEtY	ASP	СВ	PHE	СВ	upper bound	10.2	1
BrEtY	ASP	СВ	LYS	СВ	upper bound	10.2	1
BrEtY	ASP	СВ	VAL	СВ	upper bound	10.2	1
BrEtY	ASP	СВ	GLU	СВ	upper bound	10.2	1
BrEtY	GLU	СВ	GLU	СВ	upper bound	10.2	1
BrEtY	GLU	СВ	PHE	СВ	upper bound	10.2	1
BrEtY	GLU	СВ	LYS	СВ	upper bound	10.2	1
BrEtY	GLU	СВ	LEU	СВ	upper bound	10.2	1
BrEtY	GLU	СВ	VAL	СВ	upper bound	10.2	1
BrEtY	PHE	СВ	TYR	СВ	upper bound	10.2	1
BrEtY	ASP	СВ	GLY	СВ	upper bound	10.2	1
BrEtY	GLY	СВ	PHE	СВ	upper bound	10.2	1
BrEtY	GLY	СВ	VAL	СВ	upper bound	10.2	1
BrEtY	GLY	СВ	LYS	СВ	upper bound	10.2	5
BrEtY	ASN	СВ	GLY	СВ	upper bound	10.2	1
BrEtY	GLY	СВ	PRO	СВ	upper bound	10.2	1
BrEtY	ARG	СВ	GLY	СВ	upper bound	10.2	2
BrEtY	LEU	СВ	LYS	СВ	upper bound	10.2	3
BrEtY	ARG	СВ	LEU	СВ	upper bound	10.2	8
BrEtY	LEU	СВ	PRO	СВ	upper bound	10.2	1
BrEtY	LYS	СВ	MET	СВ	upper bound	10.2	1
BrEtY	ASN	СВ	ASP	СВ	upper bound	10.2	2
BrEtY	ASN	СВ	PHE	СВ	upper bound	10.2	1
BrEtY	ASN	СВ	LYS	СВ	upper bound	10.2	2
BrEtY	ASN	СВ	VAL	СВ	upper bound	10.2	2
BrEtY	ASN	СВ	LEU	СВ	upper bound	10.2	1
BrEtY	ARG	СВ	ASN	СВ	upper bound	10.2	2
BrEtY	LYS	СВ	PRO	СВ	upper bound	10.2	4
BrEtY	ARG	СВ	PRO	СВ	upper bound	10.2	8

Linker	Residue 1	Atom 1	Residue 2	Atom 2	Restraint type	Distance, Å	Count
BrEtY	GLN	СВ	PHE	СВ	upper bound	10.2	1
BrEtY	GLN	СВ	LYS	СВ	upper bound 10.2		1
BrEtY	ARG	СВ	ASP	СВ	upper bound	10.2	1
BrEtY	ARG	СВ	PHE	СВ	upper bound	10.2	2
BrEtY	ARG	СВ	LYS	СВ	upper bound	10.2	5
BrEtY	ARG	СВ	VAL	СВ	upper bound	10.2	4
BrEtY	ARG	СВ	HIS	СВ	upper bound	10.2	1
BrEtY	ARG	СВ	ARG	СВ	upper bound	10.2	4
BrEtY	HIS	СВ	SEP	СВ	upper bound	10.2	2
BrEtY	LYS	СВ	SEP	СВ	upper bound	10.2	5
BrEtY	PRO	СВ	SEP	СВ	upper bound	10.2	3
BrEtY	LYS	СВ	SER	СВ	upper bound	10.2	7
BrEtY	PRO	СВ	SER	СВ	upper bound	10.2	3
BrEtY	HIS	СВ	SER	СВ	upper bound	10.2	1
BrEtY	SER	СВ	SER	СВ	upper bound	10.2	1
BrEtY	ASN	СВ	SEP	СВ	upper bound	10.2	1
BrEtY	ARG	СВ	SEP	СВ	upper bound	10.2	2
BrEtY	ASP	СВ	THR	СВ	upper bound	10.2	1
BrEtY	PHE	СВ	THR	СВ	upper bound	10.2	2
BrEtY	LYS	СВ	THR	СВ	upper bound	10.2	2
BrEtY	LEU	СВ	THR	СВ	upper bound	10.2	1
BrEtY	THR	СВ	VAL	СВ	upper bound	10.2	1
BrEtY	LYS	СВ	ТРО	СВ	upper bound	10.2	2
BrEtY	ARG	СВ	THR	СВ	upper bound	10.2	1
BrEtY	LYS	СВ	VAL	СВ	upper bound	10.2	2
BrEtY	LYS	СВ	TYR	СВ	upper bound	10.2	4
BrEtY	ASN	СВ	TYR	СВ	upper bound	10.2	2
BrEtY	PRO	СВ	TYR	СВ	upper bound	10.2	2

Distograms of individual restraints

Restraints with identical thresholds are grouped into one plot. Only the best distance per restraint per model group/ensemble is plotted. Inter- and intramolecular (including self-links) restraints are also grouped into one plot. Distance for a restraint between coarse-grained beads is calculated as a minimal distance between shells; if beads intersect, the distance will be reported as 0.0. A bead with the highest available resolution for a given residue is used for the assessment.




Satisfaction of restraints

Satisfaction of restraints is calculated on a restraint group (a set of crosslinking restraints applied collectively in the modeling) level. Satisfaction of a restraint group depends on satisfaction of individual restraints in the group and the conditionality (all/any). A restraint group is considered satisfied, if the condition was met in at least one model of the model group/ensemble. The number of measured restraints can be smaller than the total number of restraint groups if crosslinks involve non-modeled residues. Only deposited models are used for validation right now.

State group	State	Model group	# of Deposited models/Total	Restraint group type	Satisfied (%)	Violated (%)	Count (Total=136)
				All	46.77	53.23	124
1	1	1	1/1	Heteromeric links/ Intermolecular	46.77	53.23	124

Per-model satisfaction rates in ensembles

Every point represents one model in a model group/ensemble. Where possible, boxplots with quartile marks are also plotted.



Fit of model to data used for validation @

Validation for this section is under development.

Acknowledgments

12 of 12

The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the PDB-IHM team (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the RCSB PDB (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the Sali lab contributed model validation metrics and software packages.

Dr. Jill Trewhella, Dr. Dina Schneidman, and members of the SASBDB repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of PRIDE database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.

Members of the wwPDB Integrative/Hybrid Methods Task Force provided recommendations and community support for the project.